OpenVMS/Thai VAX Version 7.1 Installation Guide

Order Number: AA-PZCBE-TE

April 1998

This document contains installation information for the OpenVMS/Thai VAX Version 7.1 operating system.

Revision/Update Information: This is a new manual.

Software Version: OpenVMS/Thai VAX Version 7.1

Digital Equipment Corporation
Asia Region

First Printing, April 1998

The information in this document is subject to change without notice and should not be construed as a commitment by Digital Equipment Corporation. Digital Equipment Corporation assumes no responsibility for any errors that may appear in this document.

The software described in this document is furnished under a license and may be used or copied only in accordance with the terms of such license.

No responsibility is assumed for the use or reliability of software on equipment that is not supplied by Digital Equipment Corporation or its affiliated companies.

© Digital Equipment (Thailand) Ltd. 1998.

All Rights Reserved.
Printed in Singapore

The following are trademarks of Digital Equipment Corporation: AlphaGeneration, AlphaServer, AlphaStation, AXP, Bookreader, CDA, CI, DEC, DEC Ada, DEC BASIC, DEC Fortran, DECamds, DECdirect, DECdtm, DECevent, DECforms, DECmigrate, DECnet, DECpresent, DECram, DECserver, DECterm, DECTPU, DECwindows, DEQNA, Digital, DSSI, FDDI, HSC, LASTport, LAT, MicroVAX, OpenVMS, OpenVMS Cluster, POLYCENTER, Q–bus, TURBOchannel, UNIBUS, VAX, VAXcluster, VAX DOCUMENT, VAXserver, VAXstation, VMS, VMScluster, VT, XMI, XUI, and the DIGITAL logo.

The following are third-party trademarks:

Microsoft, MS-Windows and Windows NT are registered trademarks of Microsoft Corporation.

Motif, OSF, OSF/1, and OSF/Motif are registered trademarks of the Open Software Foundation, Inc.

PostScript is a registered trademark of Adobe Systems Incorporated.

All other trademarks and registered trademarks are the property of their respective holders.

This document was prepared using VAX DOCUMENT, Version 2.1.

Contents

Preface v

1 Preparing for OpenVMS/Thai VAX Installation

1.1 Required Base Operating System 1–1
1.2 Prerequisite Hardware 1–1
1.3 License Registration 1–1
1.4 Installation Procedure Requirements 1–2
1.4.1 Time 1–2
1.4.2 Privileges 1–2
1.4.3 Disk Space 1–2
1.5 Resources Requirement 1–2
1.5.1 System Parameters 1–2
1.5.2 Process Account Quotas 1–3
1.5.3 Backing Up Your System Disk 1–4
1.6 Warning on OpenVMS/Thai VAX Upgrades 1–5

2 Installation Options

2.1 Thai Printing Support Sub-Kit 2–1

3 Installing OpenVMS/Thai VAX

3.1 The Installation Procedure 3–1
3.1.1 Invoking VMSINSTAL 3–1
3.1.2 Installation Questions 3–2
3.1.3 Informational Messages 3–5
3.1.4 Before completing Installation Procedure 3–5
3.1.5 Completing the Installation Procedure 3–5
3.2 Error Recovery 3–5

4 After Installing OpenVMS/Thai VAX

4.1 Rebooting The System 4–1
4.2 Running the Installation Verification Procedure 4–2
4.3 Site-specific Startup Procedure 4–2
4.4 Determining and Reporting Problems 4–2

A OpenVMS/Thai VAX Sample Installation

B OpenVMS/Thai VAX Sample Installation Verification Procedure

C OpenVMS/Thai VAX Software Components

Tables

1–1 Disk Space Requirement 1–2
1–2 System Parameter Requirement 1–3
1–3 Process Account Quotas Requirements 1–3
C–1 Component File List C–1

Preface

Purpose of This Guide

This guide describes how to install OpenVMS/Thai VAX Version 7.1 (hereafter referred to as OpenVMS/Thai VAX) on OpenVMS VAX Version 7.1.

Keep this document with your distribution kit. You will need it to install maintenance updates or to reinstall OpenVMS/Thai VAX for any other reasons.

Intended Audience

This guide is intended for OpenVMS/Thai VAX system manager.

It is assumed that users of this guide are experienced in upgrading the OpenVMS operating system and are familiar with:

- System Management
- VMSINSTAL

Associated Documents

- *OpenVMS/Thai VAX Version 7.1 Release Notes*
- *OpenVMS VAX Version 7.1 Upgrade and Installation Manual*
- *OpenVMS License Management Facility Manual*
- OpenVMS Documentation set
- *Thai Printing Support for OpenVMS Version 1.0 Release Notes*
- *Thai Printing Support for OpenVMS Version 1.0 Installation Guide*

Document Structure

This guide is organized as follows:

- Chapter 1 describes the preparations and requirements necessary for installing OpenVMS/Thai VAX.
- Chapter 2 describes the installation options available.
- Chapter 3 describes how to install OpenVMS/Thai VAX.
- Chapter 4 describes the steps to proceed after OpenVMS/Thai VAX is installed.
- Appendix A contains a log of a sample installation of OpenVMS/Thai VAX.
- Appendix B contains a log of a sample execution of Installation Verification Procedure of OpenVMS/Thai VAX.
- Appendix C contains a list of files created or modified by this installation procedure.

Conventions

The following conventions are used throughout this guide.

Convention	Meaning
KEY	Means pressing the key named inside the box.
Return	Carriage return.
CTRL	The phrase CTRL/x indicates that you must press key labeled CTRL while you simultaneously press another key. For example, CTRL/C, CTRL/Y and CTRL/O.
. . .	Vertical ellipsis in an example means that information not directly related to the example has been omitted.
[ ]	In format descriptions, brackets indicate that whatever is enclosed within the brackets is optional; you can select none, one or all of the choices.
UPPERCASE	Indicates logical, file and command names.

1
Preparing for OpenVMS/Thai VAX Installation

This chapter discusses the preparations and requirements necessary for installing OpenVMS/Thai VAX.

1.1 Required Base Operating System

OpenVMS/Thai VAX Version 7.1 requires the OpenVMS VAX Version 7.1 operating system. OpenVMS VAX Version 7.1 must be installed and running on the system before OpenVMS/Thai VAX Version 7.1 is installed.

1.2 Prerequisite Hardware

OpenVMS/Thai VAX Version 7.1 requires the following hardware:

- Any valid VAX configuration supported by OpenVMS VAX Version 7.1
- VT382-TB Thai terminal

1.3 License Registration

You must register and load your license for OpenVMS/Thai VAX Version 7.1 *before* you start the installation in order to run the Installation Verification Procedure (IVP) and use the software.

To register a license under OpenVMS, first log in to the system manager's account, SYSTEM. You then have a choice of two ways to perform the registration:

- Invoke the SYS$UPDATE:VMSLICENSE.COM procedure. When it prompts you for information, respond with data from your License PAK.
- At the DCL prompt, enter the LICENSE REGISTER command with the appropriate qualifiers that correspond to License PAK information.

For complete information on using LMF, see *OpenVMS License Management Utility Manual*.

1.4 Installation Procedure Requirements

The following sections discuss various requirements for installing OpenVMS /Thai VAX.

1.4.1 Time

The installation takes approximately 10 to 50 minutes, depending on your system configuration and the options you select during the installation.

1.4.2 Privileges

To install OpenVMS/Thai VAX, you must log in to the system manager's account or an account that has the SETPRV privilege.

1.4.3 Disk Space

Installing OpenVMS/Thai VAX requires certain amount of free storage disk space during the installation. Once installed, less disk space will be required. Table 1–1 summarizes the disk space requirement for OpenVMS/Thai VAX Version 7.1.

Table 1–1 Disk Space Requirement

Maximum disk space utilization during installation	6,000 blocks
Net disk space utilization after installation	2,000 blocks

1.5 Resources Requirement

To determine the number of free disk blocks on the current system disk, enter the following command at the DCL prompt:

```
$ SHOW DEVICE SYS$SYSDEVICE
```

The available free blocks must be greater than or equal to the max disk space required for installation.

1.5.1 System Parameters

Installing OpenVMS/Thai VAX requires certain system parameter available resources. Table 1–2 lists the minimum required system parameter values for installation.

Table 1–2 System Parameter Requirement

Parameter name	Minimum value
GBLPAGES	70 pages
GBLSECTIONS	10 sections

To determine the number of free global pages and global sections on the system: first you can use the SYSGEN utility to check the current value of global pages and global sections. For example:

```
$ MCR SYSGEN
SYSGEN> SHOW GBLPAGES
SYSGEN> SHOW GBLSECTIONS
SYSGEN> EXIT
```

Then, enter the following command at DCL prompt to display global pages and global sections usage on the system.

```
$ INSTALL LIST /GLOBAL /SUMMARY
```

The difference of the two figures must be greater than or equal to the minimum values required for installation.

1.5.2 Process Account Quotas

The account you use to install OpenVMS/Thai VAX must have sufficient quotas to enable you to perform the installation. Table 1–3 summarizes the process account quotas required for the installation account.

Table 1–3 Process Account Quotas Requirements

Account Quota	Value
ASTLM	40
BIOLM	40
BYTLM	32768
DIOLM	40
ENQLM	200
FILLM	300

The installation procedure checks your account quotas at the beginning of the installation. For each account quota that is below the minimum requirement, the installation procedure displays a message that shows your account quota and the minimum requirement. If any of your account quotas is indeed below

the minimum requirement, the installation procedure will ask whether you want to continue with the installation. You can answer YES to continue but the installation may or may not complete successfully. Alternatively, you can answer NO or press the Return key to abort the installation. Then you can correct the account quotas and restart the installation.

User account quotas are stored in the file SYSUAF.DAT. You can use the Authorize utility to verify and change user account quotas. First set your default directory to SYS$SYSTEM and then run AUTHORIZE:

```
$ SET DEFAULT SYS$SYSTEM
$ RUN AUTHORIZE
UAF>
```

At the Authorize utility prompt (UAF>), use the SHOW command with an account name to check a particular account. For example:

```
UAF> SHOW SYSTEM
```

To change the quota, use the MODIFY command at the UAF> prompt. For example, to change the FILLM quota for the SYSTEM account and then exit, you can type the following:

```
UAF> MODIFY SYSTEM/FILLM=300
UAF> EXIT
```

After you exit from the Authorize utility, the OpenVMS operating system displays messages indicating whether or not changes were made. Once the changes have been made, the owner of the altered account must log out and then log in again for the new quotas to take effect.

For more information on modifying account quotas, see the description of the Authorize utility in the OpenVMS Documentation Set.

1.5.3 Backing Up Your System Disk

At the beginning of the installation, VMSINSTAL procedure asks if you have backed up your system disk. Digital recommends that you do a system disk backup before installing any software.

Use the backup procedures that have been established at your site. For details on performing a system disk backup, see the section on Backup utility in the OpenVMS documentation set.

1.6 Warning on OpenVMS/Thai VAX Upgrades

OpenVMS/Thai VAX can only be installed on the corresponding version of OpenVMS VAX. When you upgrade OpenVMS/Thai VAX system, you have to:

1. Upgrade the base OpenVMS VAX system.
2. Then, install the OpenVMS/Thai VAX kit on the upgraded base OpenVMS VAX system.

To upgrade the base OpenVMS VAX system, you have to:

1. Remove the THAI$STARTUP.COM startup command procedure of OpenVMS/Thai VAX from the system startup sequence. In other words, SYS$STARTUP:THAI$STARTUP.COM should be taken out from SYS$MANAGER:SYSTARTUP_VMS.COM site specific startup command procedure or removed from the SYSMAN utility as a startup file.

Note

Beginning with Version 6.0, the name of the startup command procedure for OpenVMS/Thai VAX is SYS$STARTUP:THAI$STARTUP.COM, while the name of the site specific startup command procedure for OpenVMS VAX is SYS$MANAGER:SYSTARTUP_VMS.COM.

2. Restore the OpenVMS/Thai VAX system to its OpenVMS VAX system by first executing RECOVER.COM.

Note

Prior to Version 6.0, the recover command procedure is in the directory of SYS$SYSROOT:[SYSUPD.VMS*ver*]. [1] For restoring the OpenVMS /Thai VAX system to OpenVMS VAX system, the following command should be executed:

```
@SYS$SYSROOT:[SYSUPD.VMSver]RECOVER.COM
```

Beginning with Version 6.0, the recover command procedure is in the directory of SYS$SYSROOT:[SYSUPD]. For restoring the OpenVMS /Thai VAX system to OpenVMS VAX system, the following command should be executed:

[1] *ver* denotes the OpenVMS version number. E.g. *ver* is 055 for OpenVMS V5.5, 2055 for OpenVMS V5.5-2, etc

```
@SYS$SYSROOT:[SYSUPD]RECOVER.COM.
```

3. Reboot the system.

Note

If you are upgrading from OpenVMS/Thai VAX Version 6.1 and have not applied the AVMSMUP01_061 mup kit, you *must* reset the SYSGEN parameter LGI_CALLOUTS to 0 *before* rebooting the system, as follows:

```
$ RUN SYS$SYSTEM:SYSMAN
 SYSMAN> PARAMETER USE CURRENT
 SYSMAN> PARAMETER SET LGI_CALLOUTS 0
 SYSMAN> PARAMETER WRITE CURRENT
 SYSMAN> EXIT
```

Otherwise, you may not be able to log into your system after reboot.

4. After the system has been rebooted, upgrade the base OpenVMS VAX operating system.

2
Installation Options

This chapter describes the options provided with the installation.

2.1 Thai Printing Support Sub-Kit

There is a separate sub-kit called THAIPS010 provided in the media of OpenVMS/Thai VAX Version 7.1. It is used to install the Thai Printing Support for OpenVMS Version 1.0. If you want to have high quality Thai printing capabilities, please install this sub-kit after the installation of OpenVMS/Thai VAX Version 7.1. For details on the installation and features of Thai Printing Support, please refer to *Thai Printing Support for OpenVMS Version 1.0 Installation Guide* and *Thai Printing Support for OpenVMS Version 1.0 Release Notes*.

Note

High quality Thai printing is only supported with the installation of DECprint Supervisor for OpenVMS (DCPS) Version 1.0C or higher. That is, in addition to the Thai Printing Support sub-kit, you must install DCPS V1.0C or higher if you want to have Thai printing supported.

3
Installing OpenVMS/Thai VAX

This chapter describes how to install the OpenVMS/Thai VAX Version 7.1 operating system. Section 3.1.2 contains a step-by-step description of the installation procedure.

3.1 The Installation Procedure

The OpenVMS/Thai VAX installation process consists of a series of questions and informational messages.

To abort the installation procedure at any time, press CTRL/Y. However, when you abort the installation procedure, it does not delete files created up to that point. You must delete those files interactively. Appendix C lists the files created by this installation procedure and the directories in which they reside. Note that all files and directories are created under SYS$COMMON.

3.1.1 Invoking VMSINSTAL

To start the installation, invoke the VMSINSTAL procedure from a privileged account, such as the SYSTEM account. VMSINSTAL procedure is in the SYS$UPDATE directory. You use the following syntax to invoke VMSINSTAL procedure:

```
$ @SYS$UPDATE:VMSINSTAL THAI071 device-name [OPTIONS N]
```

THAI071
This refers to the OpenVMS/Thai VAX Version 7.1 saveset.

device-name
The name of the device on which you plan to mount the media. For example, DKA400: is the device name for a compact disc drive. It is not necessary to use the console drive for this installation. However, if you do use the console drive, you should replace any media you have removed once the installation is completed.

[OPTIONS N]
This portion of the command line invokes the release notes option, allowing you to display or save a copy of the release notes. This portion is optional. If you omit this option, the Release Notes question is omitted from the VMSINSTAL procedure dialog and the release notes are automatically copied to SYS$HELP.

Note that there are several options you can select when you invoke VMSINSTAL procedure. See the OpenVMS Documentation Set on software installation for information on those options.

The following example displays the command to invoke VMSINSTAL procedure to install OpenVMS/Thai VAX Version 7.1 from compact disk drive DKA400: and shows the system response:

```
$ @SYS$UPDATE:VMSINSTAL THAI071 DKA400:[THAI071.KIT]

         OpenVMS VAX Software Product Installation Procedure V7.1

It is 18-FEB-1998 at 16:22

Enter a question mark (?) at any time for help.
```

If you do not supply either the product name or the device name, VMSINSTAL procedure will prompt you for information later on in the installation process. VMSINSTAL procedure does not prompt you for any options.

3.1.2 Installation Questions

This section discusses the questions that appear during the installation. Appendix A contains a sample installation log showing how the questions can be answered.

Each question in the installation is marked with an asterisk (*) at the beginning of the line. Some questions show the default response in brackets, for example [YES]. If you want to use the default response, press Return.

1. **System backup**

   VMSINSTAL procedure asks if you are satisfied with your system backup using the following question:

   ```
   * Are you satisfied with the backup of your system disk [YES]?
   ```

   You should always back up your system disk before performing an installation. If you are satisfied with the backup of your system disk, press Return. Otherwise, enter NO to discontinue the installation. After backing up your system disk, you can restart the installation.

If you respond YES, VMSINSTAL procedure displays a message showing that the installation has begun. For example:

```
The following products will be processed:
  THAI V7.1

       Beginning installation of THAI V7.1 at 16:24
%VMSINSTAL-I-RESTORE, Restoring product save set A ...
```

2. **Choosing Release Notes Options**

   If you specified OPTIONS N in the VMSINSTAL command line, the following release notes options are displayed:

```
   Release notes included with this kit are always copied to SYS$HELP.
   Additional Release Notes Options:

 1. Display release notes
 2. Print release notes
 3. Both 1 and 2
 4. None of the above

* Select option [2]:
```

   If you select 1, the release notes are displayed on your terminal and are copied to THAI071.RELEASE_NOTES in SYS$HELP.

   If you select 2, the release notes are queued to SYS$PRINT for printing, and copied to THAI071.RELEASE_NOTES in SYS$HELP.

   If you select 3, the release notes are displayed on your terminal, queued to SYS$PRINT for printing, and copied to THAI071.RELEASE_NOTES in SYS$HELP.

   If you select 4, the release notes are not printed, displayed, only copied to SYS$HELP.

   If you did not include the OPTIONS N portion of the VMSINSTAL command line or you respond the question of Release Notes Options, the following message is displayed:

```
%VMSINSTAL-I-RELMOVED, Product's release notes have been moved to SYS$HELP.
```

   Note that the release notes are always copied to SYS$HELP.

3. **Product Authorization Key**

   The installation procedure wants to make sure you have registered and loaded the product authorization key (PAK) of OpenVMS/Thai VAX before it checks for its validity. It asks you with the following question:

```
* Does this product have an authorization key registered and loaded?
```

If you answer NO, the installation procedure will stop. If you answer YES but you actually have not loaded the PAK, the Installation Verification Procedure will fail out when it checks the validity of the PAK.

4. **Purge replaced files**

   If you have successfully mounted the media, VMSINSTAL procedure proceeds to restore the saveset A of OpenVMS/Thai VAX and move the release notes to SYS$HELP.

   It then asks if you want to purge the files replaced by the installation of OpenVMS/Thai VAX as follows:

   ```
   * Do you want to purge files replaced by this installation [YES]?
   ```

   If you answer NO, the old files with the same name in the same directory will remain there. Usually you answer YES to save disk space.

5. **Delete SYS$SPECIFIC files**

   OpenVMS/Thai VAX puts its component files in the directories under SYS$COMMON. However, if there are files under SYS$SPECIFIC possessing the same name, those files under SYS$SPECIFIC will be used instead of those under SYS$COMMON. So it is *essential* to delete those SYS$SPECIFIC files in order for OpenVMS/Thai VAX to run successfully.

   You can have the installation procedure to delete those SYS$SPECIFIC files by answering YES to the question:

   ```
   * Do you want to delete files in SYS$SPECIFIC directory, if found [YES]?
   ```

   If you answer NO to the question, you then need to manually delete those files under SYS$SPECIFIC when their names are in conflict with the files created by this installation procedure. Appendix C lists the files created by this installation procedure.

6. **System shutdown**

   The last question that the installation procedure asks you is:

   ```
   * Will you allow a system shutdown after this product is installed [YES]?
   ```

   Note that before rebooting your system, you should make sure that the command procedure SYS$STARTUP:THAI$STARTUP.COM is executed during system reboot by either putting that command procedure as a SYSMAN startup file, or by adding the line:

   ```
   $ @SYS$STARTUP:THAI$STARTUP.COM
   ```

to your site-specific startup command procedure SYS$MANAGER:SYSTARTUP_VMS.COM. You are recommended to use the latter method.

3.1.3 Informational Messages

At this point, the installation procedure displays a number of informational messages that report the progress of the installation (refer to the sample installation file in Appendix A for the text of the informational messages that OpenVMS/Thai VAX displays).

There is no further question. If the installation procedure has been successful up to this point, VMSINSTAL procedure begins moving files to their target directories, updates the help files, and updates the system library and DCL tables. The following message is displayed:

```
%VMSINSTAL-I-MOVEFILES, Files will now be moved to their target directories...
```

3.1.4 Before completing Installation Procedure

Before fully completing the installation, the installation procedure will run the Installation Verification Procedure to verify the OpenVMS/Thai VAX installation.

```
%VMS/THAI-I-BEGINIVP, beginning 7.1 IVP.
```

3.1.5 Completing the Installation Procedure

The following messages indicate that the entire installation procedure is completed:

```
Installation of THAI V7.1 completed at 17:01

VMSINSTAL procedure done at 17:07
```

3.2 Error Recovery

If errors occur during the installation, VMSINSTAL procedure displays failure messages.

For descriptions of the error messages generated by those conditions, see the OpenVMS Documentation Set on system messages, recovery procedures and OpenVMS software installation. If you are notified that any of those conditions exists, you should take appropriate actions as described in the message.

4

After Installing OpenVMS/Thai VAX

After you have installed the OpenVMS/Thai VAX operating system, you need to perform several important tasks to prepare the system for operation. This chapter describes these tasks in the following sections.

4.1 Rebooting The System

If you have chosen to reboot the system after installation, which is the default, the installation procedure will automatically invoke the SHUTDOWN command procedure, and display the following message:

```
%VMSINSTAL-I-SHUTDOWN, This product requires that the system be rebooted.

 SHUTDOWN -- Perform an Orderly System Shutdown
             on node HANVMS
```

If you choose to reboot at a later time, you can use the SHUTDOWN command procedure later as follows:

```
$ @SYS$SYSTEM:SHUTDOWN
```

However, please be reminded that the file SYS$STARTUP:THAI$STARTUP.COM must be executed at startup time. This can be done by one of the following procedures:

Procedure A

By adding the following line to your site-specific VMS startup procedure, SYS$MANAGER:SYSTARTUP_VMS.COM

```
$ @SYS$STARTUP:THAI$STARTUP.COM
```

Note

If you plan to install layered products with Thai capability, for example, Thai Printing Support for OpenVMS, you should add this

layered product startup command procedure after the above line. Otherwise, the layered product would not startup properly.

Procedure B

This can be done with SYSMAN as

```
$ RUN SYS$SYSTEM:SYSMAN
SYSMAN> STARTUP ADD FILE THAI$STARTUP.COM -
_SYSMAN> /PARAMETER=(P1,P2,P3,P4,P5,P6,P7,P8) -
_SYSMAN> /PHASE=LPBEGIN
```

4.2 Running the Installation Verification Procedure

Once the system is running again, you can invoke a command procedure to verify the OpenVMS/Thai VAX installation.

```
$ @SYS$TEST:THAI$IVP
```

This Installation Verification Procedure will be invoked by the installation procedure of this version of OpenVMS/Thai VAX. Appendix B contains a sample log of the execution of the Installation Verification Procedure.

4.3 Site-specific Startup Procedure

A template file of site-specific startup procedure is provided in the location SYS$MANAGER:THAI$SYSTARTUP.TEMPLATE. It contains sample commands to set up a Thai print queue in OpenVMS/Thai VAX as well as enabling the Thai date-time format. You can follow the template to create your own site-specific startup procedure and include it in SYS$MANAGER:THAI$STARTUP.COM.

4.4 Determining and Reporting Problems

If you encounter a problem while using OpenVMS/Thai VAX Version 7.1, report it to Digital. Depending on the nature of the problem and the type of support you have, you can take one of the following actions:

- Call Digital if your software contract or warranty agreement entitles you to telephone support.
- Submit a Software Performance Report (SPR).

After Installing OpenVMS/Thai VAX
4.4 Determining and Reporting Problems

Review the Software Product Description (SPD) and Warranty Addendum for an explanation of warranty. If you encounter a problem during the warranty period, report the problem as indicated above or follow alternative instructions provided by Digital for reporting SPD non-conformance problems.

If you find an error in the OpenVMS/Thai Documentation set, fill out and submit the Reader's Comments form to Digital.

A

OpenVMS/Thai VAX Sample Installation

The following is the log of a sample installation.

```
$ @SYS$UPDATE:VMSINSTAL THAI071 DKB200:[KITS.AVMS]
        OpenVMS VAX Software Product Installation Procedure V7.1

It is 20-MAR-1998 at 15:16.
Enter a question mark (?) at any time for help.
* Are you satisfied with the backup of your system disk [YES]?
The following products will be processed:
  THAI V7.1
        Beginning installation of THAI V7.1 at 15:17
%VMSINSTAL-I-RESTORE, Restoring product save set A ...
%VMSINSTAL-I-RELMOVED, Product's release notes have been moved to SYS$HELP.

******************************************************************************
*                                                                            *
*                    OpenVMS/Thai Version 7.1                                *
*                    KIT INSTALLATION PROCEDURE                              *
*                                                                            *
*                  COPYRIGHT (C) 1994,1995,1996,1998                         *
*                    DIGITAL EQUIPMENT CORPORATION                           *
*            MAYNARD MASSACHUSETTS.  ALL RIGHTS RESERVED.                    *
*                                                                            *
******************************************************************************

        Product:      VMS-UI-THAI
        Producer:     DEC
        Version:      7.1
        Release Date: 1-APR-1998

* Does this product have an authorization key registered and loaded? yes
* Do you want to purge files replaced by this installation [YES]?
```

OpenVMS/Thai VAX Sample Installation

```
  This kit will be installed under the SYS$COMMON directory of this
  node. If there are files in SYS$SPECIFIC directory and not removed,
  the files will be executed instead of the newly installed ones.

* Do you want to delete files in SYS$SPECIFIC directory, if found [YES]?

      #================================================================#
       The file SYS$STARTUP:THAI$STARTUP.COM must be executed at
       startup time.

       This can be done with SYSMAN as
       $ RUN SYS$SYSTEM:SYSMAN
       SYSMAN> STARTUP ADD FILE THAI$STARTUP.COM -
       _SYSMAN> /PARAMETER=(P1,P2,P3,P4,P5,P6,P7,P8) -
       _SYSMAN> /PHASE=LPBEGIN

       OR

       By adding the following line in SYS$MANAGER:SYSTARTUP_VMS.COM
       $ @SYS$STARTUP:THAI$STARTUP.COM

       When the installation is completed, the procedure performs an
       orderly shutdown of the system.  OpenVMS/Thai V7.1
       will become available when the system is up again.

      #================================================================#

    To complete the installation of this product, you should reboot
    the system.  If it is not convenient to reboot at this time, then
    enter NO to the following question.

    If you enter NO, the installation procedure will continue.

* Will you allow a system shutdown after this product is installed [YES]?
* How many minutes for system shutdown [0]:
* Do you want to do an automatic system reboot [YES]?

      #================================================================#
        There are NO FURTHER QUESTIONS during the installation and it
        will continue for 10 to 45 minutes...
      #================================================================#

%VMSINSTAL-I-SYSDIR, This product creates system directory [THAIEXE.VMS071].
%CREATE-I-EXISTS, VMI$COMMON:[THAIEXE.VMS071] already exists
%CREATE-I-EXISTS, VMI$SPECIFIC:[THAIEXE.VMS071] already exists

    If you intend to execute this layered product on other nodes in your
    VAXcluster, and you have the appropriate software license, you must
    prepare the system-specific roots on the other nodes by issuing the
    following command on each node (using a suitably privileged account):

        $ CREATE /DIRECTORY SYS$SPECIFIC:[THAIEXE.VMS071]/OWNER=[1,4]/PROTECTION
=(S:RWE,O:RWE,G:RE,W:RE)
%VMSINSTAL-I-RESTORE, Restoring product save set B ...

        #================================================================#
         Saving standard files and images for future upgrade ...
        #================================================================#
```

```
%COPY-S-COPIED, SYS$COMMON:[SYSEXE]DCL.EXE;48 copied to VMI$ROOT:[THAIEXE.VMS071
]V071$DCL.EXE;3 (218 blocks)
%COPY-S-COPIED, SYS$COMMON:[SYSLIB]LIBRTL.EXE;10 copied to VMI$ROOT:[THAIEXE.VMS
071]V071$LIBRTL.EXE;3 (275 blocks)
%COPY-S-COPIED, SYS$COMMON:[SYSLIB]LIBRTL2.EXE;10 copied to VMI$ROOT:[THAIEXE.VM
S071]V071$LIBRTL2.EXE;3 (69 blocks)
%COPY-S-COPIED, SYS$COMMON:[SYSEXE]EDT.EXE;8 copied to VMI$ROOT:[THAIEXE.VMS071]
V071$EDT.EXE;3 (5 blocks)
%COPY-S-COPIED, SYS$COMMON:[SYSLIB]EDTSHR.EXE;8 copied to VMI$ROOT:[THAIEXE.VMS0
70]V071$EDTSHR.EXE;3 (172 blocks)
%COPY-S-COPIED, SYS$COMMON:[SYS$LDR]TTDRIVER.EXE;1 copied to VMI$ROOT:[THAIEXE.V
MS071]V071$TTDRIVER.EXE;3 (49 blocks)

        #================================================================#
         Creating libraries ...
        #================================================================#

        #================================================================#
         Moving files to destination directories and searching SYS$SPECIFIC
        #================================================================#

%CREATE-I-CREATED, LCKPAG$DKB100:[SYS0.SYSUPD.THAI071]AVMS$TEMPSPEC.DAT;1 create
d
%CREATE-I-CREATED, LCKPAG$DKB100:[SYS0.SYSUPD.THAI071]AVMS$TEMPDELETE.COM;1 crea
ted
%DELETE-I-FILDEL, LCKPAG$DKB100:[SYS0.SYSUPD.THAI071]AVMS$TEMPSPEC.DAT;2 deleted
 (0 blocks)
%DELETE-I-FILDEL, LCKPAG$DKB100:[SYS0.SYSUPD.THAI071]AVMS$TEMPSPEC.DAT;1 deleted
 (0 blocks)
%DELETE-I-FILDEL, LCKPAG$DKB100:[SYS0.SYSUPD.THAI071]AVMS$TEMPDELETE.COM;2 delet
ed (3 blocks)
%DELETE-I-FILDEL, LCKPAG$DKB100:[SYS0.SYSUPD.THAI071]AVMS$TEMPDELETE.COM;1 delet
ed (0 blocks)
%DELETE-I-TOTAL, 4 files deleted (3 blocks)
%CREATE-I-CREATED, LCKPAG$DKB100:[SYS0.SYSUPD.THAI071]THAISTATE.MAR;1 created
%VMSINSTAL-I-MOVEFILES, Files will now be moved to their target directories...

******************************************************************************
*                                                                            *
*                       OpenVMS/Thai VAX V7.1                                *
*                  INSTALLATION VERIFICATION PROCEDURE                       *
*                                                                            *
*                COPYRIGHT (C) 1993,1994,1995,1996,1998                      *
*                                                                            *
*                    DIGITAL EQUIPMENT CORPORATION                           *
*            MAYNARD MASSACHUSETTS.  ALL RIGHTS RESERVED.                    *
*                                                                            *
******************************************************************************

    ------------------------------

    Starting IVP for OpenVMS/Thai VAX
```

OpenVMS/Thai VAX Sample Installation

```
IVP for OpenVMS/Thai VAX completed successfully.
------------------------------
    Installation of THAI V7.1 completed at 15:30
```

B

OpenVMS/Thai VAX Sample Installation Verification Procedure

This appendix contains a sample of the Installation Verification Procedure (IVP). Refer to Chapter 4 for information about running the IVP.

```
$ @SYS$TEST:THAI$IVP.COM
*****************************************************************************
*                                                                           *
*                       OpenVMS/Thai VAX V7.1                               *
*                  INSTALLATION VERIFICATION PROCEDURE                      *
*                                                                           *
*                 COPYRIGHT (C) 1993,1994,1995,1996,1998                    *
*                                                                           *
*                     DIGITAL EQUIPMENT CORPORATION                         *
*             MAYNARD MASSACHUSETTS.  ALL RIGHTS RESERVED.                  *
*                                                                           *
*****************************************************************************

    ------------------------------

    Starting IVP for OpenVMS/Thai VAX

    IVP for OpenVMS/Thai VAX completed successfully.

    ------------------------------

$
```

C

OpenVMS/Thai VAX Software Components

The OpenVMS/Thai VAX installation procedure installs a number of files on your system. Table C–1 lists the names of all the files installed in the directories under SYS$COMMON when OpenVMS/Thai VAX is installed.

Table C–1 Component File List

Directory	File	Change
[SYS$LDR]	TTDRIVER.EXE	Replace
[SYS$STARTUP]	THAI$STARTUP.COM	New
[SYSEXE]	DCL.EXE	Replace
[SYSEXE]	EDT.EXE	Replace
[SYSEXE]	THAILATSYM.EXE	New
[SYSEXE]	THAIPRTSMB.EXE	New
[SYSHLP]	THAI071.RELEASE_NOTES	New
[SYSLIB]	EDTSHR.EXE	Replace
[SYSLIB]	LIBRTL.EXE	Replace
[SYSLIB]	LIBRTL2.EXE	Replace
[SYSLIB]	SORTDTYPE.EXE	New
[SYSLIB]	TAC11X10.COD	New
[SYSLIB]	TAC11X12.COD	New
[SYSLIB]	TAC11X13.COD	New
[SYSLIB]	TAC11X14.COD	New
[SYSLIB]	TAC11X15.COD	New
[SYSLIB]	TAC11X16.COD	New

(continued on next page)

Table C–1 (Cont.) Component File List

Directory	File	Change
[SYSLIB]	TAC11X17.COD	New
[SYSLIB]	TAC11X18.COD	New
[SYSLIB]	TAC11X19.COD	New
[SYSLIB]	TAC11X20.COD	New
[SYSLIB]	TAC11X21.COD	New
[SYSLIB]	TAC11X22.COD	New
[SYSLIB]	TAC11X40.COD	New
[SYSLIB]	TAC11X41.COD	New
[SYSLIB]	TAC11X42.COD	New
[SYSLIB]	TAC11X43.COD	New
[SYSLIB]	TAC11XAA.COD	New
[SYSLIB]	THAILIB.OLB	New
[SYSLIB]	THAISHR.EXE	New
[SYSLIB]	THAISHRLIB.OLB	New
[SYSLIB]	THAISMBSHR.EXE	New
[SYSMGR]	THAI$SYSTARTUP.TEMPLATE	New
[SYSTEST]	AVMSIVP_TH.EXE	New
[SYSTEST]	THAI$DCL.COM	New
[SYSTEST]	THAI$IVP.COM	New
[SYSTEST]	THAI$SORT.COM	New
[SYSUPD]	RECOVER.COM	New
[THAIEXE.THAI071]	EDIT.CLD	Replace
[THAIEXE.THAI071]	SORT.CLD	Replace
[THAIEXE.THAI071]	SORTMERGE_DCL.HLP	Replace